


## DUST FREE DUAL ACTION SANDER

● Pad Size  $\Phi$ 125mm(5")

- For finishing and polishing ● Easy to grip. ● Built-in power regulator. ● Dust hose and collection bag included.

### SP-3905DF-A5M

**M** Velcro Pad



**Replacement parts**

- #AS-113 125 mm Pad (Dust suction type, velcro)
- #AS-112 125 mm Pad (Dust suction type, for stick paper)

● Pad Size  $\Phi$ 125mm(5")

- Lightweight ● For finishing and polishing ● Self suction/other dust suction switchable. ● Mesh sandpaper can also be used ● Built-in power regulator. ● Dust hose and collection bag included.

### SP-3006DF-5

**M** Velcro Pad



**Replacement parts**


- #ASP-3006 125 mm Pad (Dust suction type, velcro)

● Pad Size  $\Phi$ 125mm(5")

- For finishing and polishing ● Lower center of gravity for improved stability. ● Easy to grip. ● Built-in power regulator. ● Dust hose and collection bag included.

### SP-3605DF-A5M

**M** Velcro Pad



**Replacement parts**

- #AS-113 125 mm Pad (Dust suction type, velcro)
- #AS-112 125 mm Pad (Dust suction type, for stick paper)

● Pad Size  $\Phi$ 150mm(6")

- For finishing and polishing ● Lower center of gravity for improved stability. ● Easy to grip. ● Built-in power regulator. ● Dust hose and collection bag included.

### SP-3606DF-A5M

**M** Velcro Pad



FASTENING

DRILLING

SANDING

GRINDING

CUTTING

HAMMERING

BEVELER

## DUAL ACTION SANDER

● Pad Size  $\Phi$ 125mm(5")

- For finishing and polishing ● Lower center of gravity for improved stability. ● Easy to grip. ● Built-in power regulator.

### SP-3905-A5M

**M** Velcro Pad



**Replacement parts**

- #AS-111 125 mm Pad (Velcro)
- #AS-114 125 mm Pad (For stick paper)

● Pad Size  $\Phi$ 125mm(5")

- Lightweight. ● Easy to grip. ● Built-in power regulator.

### SP-3005-5M

**M** Velcro Pad



**Replacement parts**

- #AS-111 125 mm Pad (Velcro)
- #AS-114 125 mm Pad (For stick paper)

● Pad Size  $\Phi$ 125mm(5")

- For finishing and polishing ● Lower center of gravity for improved stability. ● Easy to grip. ● Built-in power regulator.

### SP-3605-A5M

**M** Velcro Pad



**Replacement parts**


- #AS-111 125 mm Pad (Velcro)
- #AS-114 125 mm Pad (For stick paper)

● Pad Size  $\Phi$ 150mm(6")

- For finishing and polishing ● Lower center of gravity for improved stability. ● Easy to grip. ● Built-in power regulator.

### SP-3606-A5M

**M** Velcro Pad



EDP	Model No.	Pad Threads	Orbit Dia. (mm)	Sandpaper type	Free Speed (min <sup>-1</sup> )	Overall Length (mm)	Air Consumption (m <sup>3</sup> /min)	Hose Coupling	Net Weight (kg)	Accessories	JAN (4545695)
370114	SP-3905DF-A5M	5/16-24UNF	5	Velcro	11000	150	0.3	1/4"NPT	0.95	Hose (490311), Dust Bag (490300), Spanner (H19mm)	000561
370126	SP-3605DF-A5M	5/16-24UNF	5	Velcro	10000	215	0.3	1/4"NPT	1.23	Hose (490310), Dust Bag (490300), Spanner (H19mm)	000448
370102	SP-3006DF-5	5/16-24UNF	5	Velcro	10000	210	0.47	1/4"NPT	0.65	Hose (3006-50), Dust Bag (3006-49), Spanner (H24mm)	002343
370190	SP-3606DF-A5M	5/16-24UNF	5	Velcro	10000	228	0.3	1/4"NPT	1.3	Hose (490310), Dust Bag (490300), Spanner (H19mm)	003906
370108	SP-3905-A5M	5/16-24UNF	5	Velcro	11000	150	0.3	1/4"NPT	0.95	Spanner (H19mm)	000554
370110	SP-3605-A5M	5/16-24UNF	5	Velcro	10000	215	0.3	1/4"NPT	1.23	Spanner (H19mm)	000431
370099	SP-3005-5M	5/16-24UNF	5	Velcro	10000	140	0.47	1/4"NPT	0.6	Spanner (H24mm)	002350
370191	SP-3606-A5M	5/16-24UNF	5	Velcro	10000	228	0.3	1/4"NPT	1.2	Spanner (H19mm)	003913

Air pressure: 0.62 MPa Air hose inner dia.: 9.5 mm Rear exhaust Air connector included

## DUAL ACTION SANDER

● Pad Size  $\Phi 125\text{mm}(5\text{'})$

- For rough polishing. ● Easy to grip. ● Built-in power regulator.

**SP-3007-A10**

**M** Velcro Pad



Replacement parts

- #AS-111 125 mm Pad (Velcro)
- #AS-114 125 mm Pad (For stick paper)

## SINGLE ACTION SANDER

● Pad Size  $\Phi 75\text{mm}(3\text{'})$

- Lightweight ● For finishing and polishing ● Easy to grip. ● Low speed and high torque. ● Built-in power regulator.

**SP-3003**

**M** Velcro Pad



Replacement parts

- #3003-39 75 mm Pad (velcro)


## DUST FREE ORBITAL SANDER

● Pad Size  $75 \times 110\text{mm}$

- Lightweight and compact. ● For finishing and polishing ● Easy to grip. ● Built-in power regulator. ● Dust hose and collection bag included.

**SP-3900DF-A3M**

**M** Velcro Pad



Replacement parts


- #04606120 75x110 mm Pad (Dust suction type, velcro)

● Pad Size  $100 \times 180\text{mm}$

- Larger pad. ● Easy to grip. ● Built-in power regulator. ● Dust hose and collection bag included.

**SP-3800DF-A5M**

**M** Velcro Pad



Replacement parts

- #04604503 100x180 mm Pad (Dust suction type, velcro)

## ORBITAL SANDER

● Pad Size  $75 \times 110\text{mm}$

- Lightweight and compact. ● For finishing and polishing ● Easy to grip. ● Built-in power regulator.

**SP-3900-A3M**

**M** Velcro Pad



Replacement parts


- #04606120 75x110 mm Pad (Velcro)

● Pad Size  $100 \times 180\text{mm}$

- Larger pad. ● Easy to grip. ● Built-in power regulator.

**SP-3800-A5M**

**M** Velcro Pad



Replacement parts

- #04604501 100x180 mm Pad (Velcro)

EDP	Model No.	Pad Threads	Orbit Dia. (mm)	Sandpaper type	Free Speed (min <sup>-1</sup> )	Overall Length (mm)	Air Consumption (m <sup>3</sup> /min)	Hose Coupling	Net Weight (kg)	Accessories	JAN (4545695)
370119	<b>SP-3007-A10</b>	5/16-24UNF	10	Velcro	11000	132	0.3	1/4"NPT	0.9	Spanner (H24mm)	002886
370118	<b>SP-3003</b>	5/16-24UNF	-	Velcro	2500	120	0.5	1/4"NPT	0.66	Spanner (H24mm)	002541
370117	<b>SP-3900DF-A3M</b>	-	3	Velcro	9500	148	0.3	1/4"NPT	0.86	Hose (490311), Dust Bag (490300)	000523
370125	<b>SP-3800DF-A5M</b>	-	5	Velcro	7000	230	0.3	1/4"NPT	1.57	Hose (490310), Dust Bag (490300)	000486
370103	<b>SP-3900-A3M</b>	-	3	Velcro	9500	148	0.3	1/4"NPT	0.86	-	000516
370115	<b>SP-3800-A5M</b>	-	5	Velcro	7000	230	0.3	1/4"NPT	1.57	-	000479

Air pressure: 0.62 MPa Air hose inner dia.: 9.5 mm Rear exhaust Air connector included

## MINI SANDER

**Pad Size 50mm(2")** [DUAL ACTION]  
 ● 90 degree corner type. ● Easy to grip. ● Built-in power regulator. ● 360 degree rotating rear exhaust.

### SP-7201DA



Replacement parts  
 ● #05202110 50 mm Pad (Velcro)

**Pad Size 50mm(2")** [SINGLE ACTION]  
 ● 90 degree corner type. ● Easy to grip. ● Built-in power regulator. ● 360 degree rotating rear exhaust.

### SP-7201G



Replacement parts  
 ● #05202110 50 mm Pad (Velcro)

**Pad Size 70mm(3")** [DUAL ACTION]  
 ● Lightweight ● Variable speed trigger. ● Built-in power regulator (4-step adjustment)

### SP-1340DA



Replacement parts  
 ● #05315612 70 mm Pad (Velcro)

**Pad Size 70mm(3")** [SINGLE ACTION]  
 ● Lightweight ● Low speed and high torque. ● Variable speed trigger. ● Built-in power regulator (4-step adjustment)

### SP-1331L



Replacement parts  
 ● #05315612 70 mm Pad (Velcro)  
 Option  
 ● #40100920 Support handle grip

**Pad Size 100mm(4")** [SINGLE ACTION]  
 ● High speed. ● Rubber grip. ● Silencer.


### SP-1350



## POLISHER

**Pad Size 70/125mm(3"/5")** [SINGLE ACTION]  
 ● 90 degree corner type. ● Lower center of gravity for improved stability. ● Low speed rotation and high torque. ● Built-in power regulator. ● With bar grip. ● 360 degree rotating rear exhaust


### SP-7500AH-P



Replacement parts  
 ● #40100820 125 mm Pad (Velcro)  
 ● #AS-111 70 mm Pad (Velcro)

**Pad Size 125mm(5")** [SINGLE ACTION]  
 ● 120 degree corner type. ● Low speed rotation and high torque. ● Built-in power regulator. ● With anti-vibration grip.


### SP-1508AH-P



Replacement parts  
 ● #AS-111 70 mm Pad (Velcro)

**Pad Size 75x110mm** [Window Polisher]  
 ● For polishing window glass. ● Special pad. ● Built-in power regulator.

### SP-3900P



Replacement parts  
 ● #00000308 75x110 Pad (Velcro)

EDP	Model No.	Pad Threads	Orbit Dia. (mm)	Install Method	Free Speed (min <sup>-1</sup> )	Overall Length (mm)	Air Consumption (m <sup>3</sup> /min)	Hose Coupling	Net Weight (kg)	Accessories	JAN (4545695)
370105	SP-7201DA	M6	3	Velcro	13000	158	0.3	1/4"NPT	0.6	Ø50mm Velcro Pad, Pad Fixing Bar	001483
370104	SP-7201G	M6	-	Velcro	13000	158	0.3	1/4"NPT	0.53	Ø50mm Velcro Pad, Uni top mini, Spanner (H11mm)	001476
370111	SP-1340DA	M6	2	Velcro	12000	125	0.3	1/4"NPT	0.67	Ø70mm Velcro Pad, Spanner (H17mm, H11mm), Bolt	000714
370112	SP-1331L	M6	-	Velcro	3000	145	0.3	1/4"NPT	0.7	Ø70mm Velcro Pad, Spanner (H11mm)x2, Bolt	000707
370121	SP-1350	M10x1.5	-	Disc Nut	15000	124	0.76	1/4"NPT	0.96	Ø75mm Sanding Pad, Spanner, Lock bar	001599
370116	SP-7500AH-P	5/16-24UNF	-	Velcro	1800	200	0.3	1/4"NPT	1.2	Ø70mm Velcro Pad, Ø125mm Velcro Pad, Regulator, Spanner (H17mm), Allen key (H14mm)	000974
370123	SP-1508AH-P	5/16-24UNF	-	Velcro	2500	180	0.66	1/4"NPT	1.2	Ø125 Velcro Pad, Regulator, Ø150 Urethan Pad, Ø150 Wool Pad, Comfort Grip, Spanner (H11mm)	000776
370124	SP-3900P	-	3	Velcro	9500	148	0.4	1/4"NPT	0.86	Buffing Form Pad x2	000790

Air pressure: 0.62 MPa Air hose inner dia.: 9.5 mm Rear exhaust Air connector included

FASTENING

DRILLING

SANDING

GRINDING

CUTTING

HAMMERING

BEVELER

## BELT SANDER

**Belt Size 10/12x330mm**

- Arm Stopper for easy replacement of the sanding belt. ● Adjustable Arm Angle with Allen key

### SP-1370A




Replacement parts  
● #09601250 Idol Pulley ASSY

**Belt Size 20x520mm**

- Arm Stopper for easy replacement of the sanding belt. ● Adjustable Arm Angle with Allen key

### SP-1380



EDP	Model No.	Free Speed (min <sup>-1</sup> )	Overall Length (mm)	Air Consumption (m <sup>3</sup> /min)	Hose Coupling	Net Weight (kg)	Accessories	JAN (4545695)
370097	<b>SP-1370A</b>	16000	275	0.4	1/4"NPT	0.8	Belt (#60)	002107
370100	<b>SP-1380</b>	17000	365	0.5	1/4"NPT	1.4	Belt (#60), Allen key (H4mm)	000646

Air pressure: 0.62 MPa Air hose inner dia.: 9.5 mm Rear exhaust Air connector included

## MICRO GRINDER

**Collet Size 3mm**

- Lightweight. ● Throttle switch. ● Urethane covered cushion grip. ● For finishing of small parts. ● With flexible hose 1.5 m

### SP-1900




## PUNCH/FLANGE TOOL

**Punch/Flange Punching Capacity (mm) φ5.5 (Steel) Flange Thickness (mm) 1.5 (Steel)**

- Punching and flanging in one machine. ● 360 degree rotating head. ● Lever type

### SP-1600B



EDP	Model No.	Grip Dia. (mm)	Install method	Free Speed (min <sup>-1</sup> )	Overall Length (mm)	Air Consumption (m <sup>3</sup> /min)	Hose Coupling	Net Weight (kg)	Accessories	JAN (4545695)
370095	<b>SP-1900</b>	17	Collet Nut	70000	156	0.14	1/4"NPT	0.35	Spanner (H9mm)	003500

Air pressure: 0.62 MPa Air hose inner dia.: 9.5mm Rear exhaust Air connector included

EDP	Model No.	Overall Length (mm)	Air Consumption (m <sup>3</sup> /min)	Hose Coupling	Net Weight (kg)	JAN (4545695)
370161	<b>SP-1600B</b>	170	0.3	1/4"NPT	1	000837

Air pressure: 0.62 MPa Air hose inner dia.: 9.5 mm Rear exhaust Air connector included


## replacement parts

### SANDING PAD



EDP	PART NUMBER	SPECIFICATION	JAN (4545695)
370314	<b>AS-111</b>	125 mm Pad/Velcro (ASP-3005)	600587
370333	<b>AS-114</b>	125 mm Pad/for Stick paper	001034
370331	<b>AS-113</b>	125 mm Pad w/Dust suction hole/Velcro	001010
370332	<b>AS-112</b>	125 mm Pad w/Dust suction hole/for Stick paper	001027
370319	<b>ASP-3006</b>	125 mm Pad/Dust suction hole/Velcro	600822
370343	<b>MSP-506</b>	50 mm 6 mm Collet chuck/Velcro	-

### SANDING PAD



EDP	PART NUMBER	SPECIFICATION	JAN (4545695)
370334	<b>05202110</b>	50 mm M6 Thread/Velcro	001041
370335	<b>05315612</b>	70 mm M6 Thread/Velcro	001058
370336	<b>40100820</b>	70 mm 5/16-24UNF/Velcro	001065
882938	<b>04606120</b>	75x110 mm w/Dust suction hole/Velcro (AS-131/129)	-
883819	<b>04604503</b>	100x180 mm w/Dust suction hole/Velcro (AS-127)	-
883818	<b>04604501</b>	100x180 mm w/Dust suction hole/Velcro (AS-125)	-

### DUST HOSE AND DUST COLLECTION BAG



EDP	PART NUMBER	SPECIFICATION	APPLICABLE MODELS
370328	<b>490311</b>	19mm dia. x1 m	SP-3605DF-A5M, 3800DF-A5M
370329	<b>490310</b>	25mm dia. x2 m	SP-3905DF-A5M, 3900DF-A3M
370327	<b>490300</b>	195mmx395mm	3905DF-A5M, 3605DF-A5M, 3900DF-A3M, 3800DF-A5M

### BUFF



EDP	PART NUMBER	SPECIFICATION	JAN (4545695)
370345	<b>WBF50</b>	50 mm Wool buff/Velcro	-
370347	<b>WBF75</b>	75 mm Wool buff/Velcro	-
370349	<b>WBF150</b>	150 mm Wool buff/Velcro	-
370344	<b>SBF50</b>	50 mm Sponge buff/Velcro	-
370346	<b>SBF75</b>	75 mm Sponge buff/Velcro	-
370348	<b>SBF150</b>	150 mm Wool buff/Velcro	-